	Application No.	Applicant(s)
	09/711,524	LIU ET AL.
Notice of Allowability	Examiner	Art Unit
	Burton S. Mullins	2834
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
 This communication is responsive to <u>amendment filed 01 April 2003</u>. The allowed claim(s) is/are <u>1-14</u>. 		
3. The drawings filed on are accepted by the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 		
1. Certified copies of the priority documents have been received.		
 Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).		
 (a) ☐ The translation of the foreign language provisional application has been received. 6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 8. ☐ CORRECTED DRAWINGS must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No 		
(b) ☑ including changes required by the proposed drawing correction filed <u>01 April 2003</u> , which has been approved by the Examiner. (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
 1⊠ Notice of References Cited (PTO-892) 3☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 5☐ Information Disclosure Statements (PTO-1449), Paper No 7☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	4□ Interview Summ 6⊠ Examiner's Ame	al Patent Application (PTO-152) ary (PTO-413), Paper No ndment/Comment ement of Reasons for Allowance

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 1, line 6, change "portion" to ---portions---.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance: In Nakamura, the coils 13b/13c are perpendicular to the magnetic force lines, but the coil 13a lies in a plane parallel with the magnetic force lines. Similarly, the planes of coils 44/ 45 in Suzuki and 6/7 in Anzai are both parallel to the respective lines of magnetic flux which drive the coils in their respective directions. Finally, none of the prior art shows second coil sets located at the lateral end of the force line generator (i.e., coils 231 and 232 are located laterally with respect to the longitudinal axis defined by the magnets 211/212 in applicant's Fig.4A). In Fujita, the coils 9 are located near the longitudinal ends of the force line generator (Fig.2), i.e., adjacent N poles of magnets 4a/4b. Similarly, in Song the coils 128/130 (Fig.3) are located adjacent the poles of magnets 132/134. Regarding claim 8, the prior art does not teach a first coil set "surrounding" the magnetic force line generator and a second coil set "sandwiching" the force line generator as shown in applicant's Fig.4A.

Application/Control Number: 09/711,524

Art Unit: 2834

Page 3

3. Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the

issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

4. The proposed drawing correction and/or the proposed substitute sheets of drawings,

filed on April 1, 2003 have been accepted by the examiner. A proper drawing correction or

corrected drawings are required in reply to the Office action to avoid abandonment of the

application. The correction to the drawings will not be held in abeyance.

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Burton S. Mullins whose telephone number is 305-7063. The

examiner can normally be reached on Monday-Friday, 9 am to 5 pm. If attempts to reach the

examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be

reached on 308-1371. The fax phone numbers for the organization where this application or

proceeding is assigned are 305-1341 for regular communications and 305-1341 for After Final

communications.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 308-0956.

Burton S. Mullins Primary Examiner

Art Unit 2834

bsm

May 1, 2003